EQUIPMENT · CAPTURE

Video surveillance cameras

Fixed, PTZ, portable and vehicle-mounted cameras, all on the same platform.

From 1080p to 8K, with up to 32x optical zoom and up to 24 hours of autonomy.



THE CHALLENGE

Watching properly means different cameras in different places

A corridor, an outdoor perimeter, a loading dock and an open-air event cannot be covered with the same unit, least of all one that needs cabling and building work at every point.

01

Points with no infrastructure

Building sites, events or emergencies where there is neither network nor power.

02

Angles that do not cover

Cameras with too narrow a field to watch corridors, halls or wide perimeters.

03

Recording tied to the site

Local recorders to maintain, expand and replace at each location.

WHAT WE SUPPLY

A camera catalogue for every kind of location

cinfo supplies and installs the capture cameras for the surveillance platform: fixed units for wide shots, PTZ for sweeps and zoom, autonomous portable mounts for mobility, and systems mounted on vehicles and drones.

- Fixed cameras from 1080p to 8K, with dual-lens models for corridors.
- PTZ cameras with 12x to 32x optical zoom and 360-degree rotation.
- Portable mounts with up to 24 hours of autonomous power.
- Systems mounted on trucks and UAVs, integrated into the same cloud platform.

HOW IT IS INSTALLED

Place the camera and connect it: nothing more

No recorder or storage is needed on site: everything happens on the cloud platform.

01

Coverage study

What has to be watched, from where, and at what angle and resolution.

02

Model selection

Fixed, dual-lens, PTZ, portable or vehicle-mounted, depending on the point to cover.

03

Installation

Mounting, power and connectivity, over fixed network or mobile data.

04

Platform provisioning

The camera appears in the mosaic alongside the client's other sources.

FEATURES

One camera type for each problem

- **Fixed cameras**

  Fixed shots of wide areas, with image quality from 1080p to 8K.

- **Dual-lens models**

  To cover both directions of a corridor with a single unit.

- **PTZ cameras**

  Sweeps of the area with 360° rotation and 12x to 32x optical zoom.

- **Local backup**

  Internal storage holding 24 hours of recording as a backup.

- **Portable mounts**

  Flexible camera placement according to the need of the moment.

- **Autonomous power**

  Up to 24 hours of autonomy with no mains supply at the point.

- **Mobile connectivity**

  Image transmission over mobile data where no fixed network is available.

- **Vehicle-mounted systems**

  Cameras concealed in vehicles and tethered drones with a router for transmission.

BENEFITS

Coverage where it is needed, when it is needed

01

No recorder on site

Recording and storage live in the cloud, not at each facility.

02

Fast deployment

A new monitoring point can be live with no building work and no cabling.

03

Mobile coverage

Events, emergencies and building sites covered with autonomous mounts and vehicles.

04


Everything on one platform

Fixed, PTZ, portable and vehicle-mounted, centralised in one monitoring view.

TECHNICAL DATA

Camera and mount range

Fixed camera	Calidad de imagen desde 1080p hasta 8K
Fixed camera field of view	Desde 110° hasta 180°, con modelos de doble lente
PTZ camera	1080p, giro de 360°, zoom óptico de 12x a 32x
Internal storage	24 horas de grabación como respaldo
Portable mount	Alimentación autónoma de hasta 24 horas
Connectivity	Red fija o datos móviles según el emplazamiento
Vehicle-mounted systems	Cámaras gran angular en vehículos y drones cautivos con router 4G
Platform	tiivii videosupervisión, 100 % cloud, sin grabador local



The exact model for each point is chosen in the coverage study, based on the area to watch, distance, lighting and available connectivity.

SUPPLY

How the equipment is delivered and maintained

01

Coverage study

Definition of the points to watch, angles, resolutions and connectivity.

02

Installation

Mounting of cameras and brackets, power and connection to the platform.

03

Configuration

Mosaics, patrol routines, alarms and user profiles.

04

Support and maintenance

Technical support during operation and equipment replacement where applicable.


The installation is designed in line with applicable video surveillance and data protection regulations, reviewed with the client during the preliminary study.

GALLERY

Deployed equipment



A camera mounted on an emergency vehicle.



Layout of concealed cameras on a fire truck.



Urban cameras integrated into the monitoring platform.

INSTALLATIONS

Equipment in service

GALICIAN EMERGENCY AGENCY

Fire trucks and tethered drones

Trucks fitted with two wide-angle cameras concealed in the front and a 4G router, plus a tethered camera drone, all integrated into the cloud platform.

https://cinfo.es

LOGISTICS FACILITIES

Loading docks and warehouse perimeters

Wide-angle fixed cameras and PTZ units watching docks, virtual lanes and entrances, with automatic incident detection.

https://cinfo.es

PORTS AND CAR PARKS

Mooring and occupancy control

Cameras deployed to control mooring times, free spaces and vehicles in restricted areas.

https://cinfo.es

CINFO IN NUMBERS

Equipment performance

8K

maximum resolution on a fixed camera

32x

maximum optical zoom on a PTZ camera

180°

maximum field of view

24 h

of autonomy on portable mounts

FREQUENTLY ASKED QUESTIONS

Questions before choosing a camera

Which camera do I need at each point?

It depends on the area: a wide-angle fixed camera for broad shots, dual-lens for corridors, and PTZ when a zone must be swept or zoomed.

Is a recorder needed on site?

No. The platform is fully cloud-based: recording and storage are in the cloud, and the site only needs cameras, power and connectivity.

Can I watch a place with no power?

Yes, with the portable mounts: up to 24 hours of autonomous power and image transmission over mobile data.

Can they be mounted on vehicles?

Yes. There are systems for trucks, with concealed wide-angle cameras and a transmission router, and for tethered drones.

What if the connection is lost?

The cameras have internal storage holding 24 hours of recording as a backup, so what happened can be recovered.

Can I integrate cameras I already own?

Yes. The platform accepts sources outside its own camera system, so they coexist in the same mosaic.

WHO IT IS FOR

Who deploys this equipment

01

Emergency services

Vehicles, drones and command posts with real-time imagery.

02

Industry and logistics

Halls, docks, perimeters and access control.

03

Public administrations

Municipal facilities, public spaces and large events.

04

Ports and infrastructure

Moorings, car parks and transit areas under continuous watch.

LET'S TALK

Tell us what you want to watch, and from where

We run the coverage study and propose which camera to install at each point, and with what connectivity.

Request a coverage study

See the platform

CONTACT

Email

contact@cinfo.es

Phone / WhatsApp

+34 881 912 538

Web

https://contact.cinfo.es